

# Canon

imageRUNNER™  
2000



imageRUNNER™



## THE DIGITAL SOLUTION OFFERING PERFORMANCE YOU DEMAND, IN A COMPACT PACKAGE YOU REQUIRE.

Presenting the new imageRunner 2000 from Canon – the next generation, digital multi-functional machine that gives your business a competitive edge.

Built upon Canon's unquestioned reliability and performance, the newly developed, network-oriented imageRunner 2000 offers 20 page-per-minute speed, with advanced copy, and print features. The imageRunner is able to handle these everyday office tasks with ease and efficiency. Tailored for your business, the imageRunner 2000 will reduce your business costs through lowered energy consumption and consumables usage.



\*Shown with optional accessories

Canon's imageRunner product offerings have a reputation for performance, image quality, and ease-of-integration that is virtually unmatched. The imageRunner 2000 comes with all the same award-winning attributes as its predecessors. The result is a unique workgroup solution designed to take your business to the next stage.





With its compact footprint and increased functionality, the imageRunner 2000 is designed to fit seamlessly with the way you work.



**Superior Image Quality Is Always Standard**


Canon's world-class leadership in image quality – capturing the highest level of detail in every document – is standard on every imageRunner 2000. Delivering copy output at 1200 x 600 dpi resolution, and print output at an astounding 2400 x 600 dpi resolution, the superiority of imageRunner 2000 output is clear to see.

**A New Level Of Printing Functionality**

The imageRunner 2000 is ideally suited to handle the printing requirements of workgroups and departments, with a print controller capable of handling Parallel, USB, 10/100 Ethernet connections, using PCL 5, PCL 6 and Postscript 3\* languages.


enhanced print quality and faster processing times. What this means to you is clearer, sharper output delivered to you quickly and effortlessly.

Canon has created print driver software designed with an easy-to-use user interface that is friendly for the novice, yet capable enough to handle the demands of power users. The driver software displays a dynamic image of the device, indicating installed hardware options, paper size, and paper levels. To further simplify use, Canon offers the ability to view page layout settings from within the driver prior to printing. Using this driver capability, users are assured their output will print as expected, with no surprises.



With a powerful 200MHz RISC processor, the imageRunner 2000 is capable of both

\*Postscript 3 available as option.



imageRUNNER 2000 works with NetSpot® Suite to integrate seamlessly onto your network.



## An All-star Player Sporting All The Tools

### No One On Your Team Will Feel Stranded

The imageRUNNER 2000 comes equipped with a comprehensive set of system utilities designed to simplify operation and management for both end-users and network administrators. These tools provide easy device installation and network management, while supplying a level of device status and job-management capabilities unmatched in the industry.

### You Need To Do More Than Just Connect To The Network

To truly support customer requirements, networked devices must be easy to install, provide seamless integration with existing network-management applications, and permit management from anywhere in the enterprise. Canon's comprehensive solution to these customer requirements is embodied within Canon's NetSpot® Suite and Remote UI utilities.

Canon's NetSpot Suite consists of the following utilities:

**NetSpot Console** – NetSpot Console is a web-based installation and management utility capable of installing and managing Canon networked systems on most customer networks from anywhere within the enterprise. In addition to basic installation support, NetSpot Console delivers notification of device status conditions, such as low toner, paper jams, and others. For added convenience, NetSpot Console is also capable of managing third-party printers complying with the standard Printer MIB, thereby consolidating network device management via one utility.

**NetSpot Job Monitor** – To track progress and manage print jobs, Canon supplies NetSpot Job Monitor, which runs as an automated task in the Windows® System Tray, and can be configured to report job conditions based on administrator or end-user preferences.

Significant to NetSpot Job Monitor is its ability to deliver end-of-job notification to end-users, ensuring that they are informed of the completion of submitted work.

**NetSpot Accountant** – NetSpot Accountant is an optional utility capable of providing comprehensive job tracking and analysis for cost accounting and workflow optimization. Using NetSpot Accountant, network administrators can track a myriad of activity, including copying, printing, and scanning, and bill internal or external clients for device utilization. NetSpot Accountant is ideal for any customer who desires to account for imageRUNNER 2000 device utilization.

In addition to these utilities, Canon also supplies plug-in modules for most popular enterprise-management applications in use today. Included in this list of supported applications are Microsoft® Management Console, CA-Unicenter TNG®, HP® OpenView®, Tivoli® NetView®, and BMC Patrol®. Through these plug-ins, Canon permits easy management of Canon networked devices from directly within the enterprise-management system console.

**Remote UI** – The Remote UI function turns any web browser into an imageRUNNER 2000 desktop command and control center. Simply enter the IP address of the remote device to get instant access to job status, address book, media options, program settings, and more. In addition, users can stop, start, or reprint jobs or view images that were previously stored in an internal mail box from anywhere on the network.

### An Impressive Team

Canon's pioneering efforts in creating the digital multifunction marketplace has provided us with a considerable advantage in identifying emerging customer needs. This experience, combined with our exhaustive funding of new research and development, has allowed us to assume a



NetSpot Console Device List Selection



NetSpot Job Monitor - Status Notification Device



NetSpot Accountant - Device List Display



Remote UI

commanding position in today's office and production environments.

Our goal is simple: to provide the best solutions to your document- and information-management needs. We think you will agree that Canon's functional and integrated network capabilities set new benchmarks in the marketplace, and clearly enable our customers to drive greater levels of productivity, efficiency, and a competitive advantage.



## Raise Your Productivity To New Standards

**Why Stand-alone When You Can Connect**  
Canon's clear advantage lies in our seamless integration with customer networks, giving users the ability to leverage system capabilities from their desktops. In choosing Canon products, your organisation will benefit from initial investment protection other manufacturers simply cannot match.

### Advanced Input, Throughput, And Output Features

While most multifunction devices are content just to deliver the basics, the imageRunner 2000 offers an truly impressive level of input, throughput and output capabilities.

For maximum input productivity, an optional 50-sheet capacity Automatic Document Feeder (ADF) makes quick work of handling multipage originals.

The imageRunner 2000 offers an optional, internally mounted finishing unit for small office environments that require professional-looking, finished documents. This makes the imageRunner 2000 ideally suited for environments with limited space but still require the highest standard of finishing features.

The imageRunner 2000 ships with a standard paper capacity of 550 sheets and offers the flexibility to support up to 1050 sheets. With support for feeding non-standard paper sizes and weights, the imageRunner 2000 can easily address the volume requirements of most small offices and small workgroups.



Internal Finisher




Paper Cassettes



Printer Driver Page Setup Tab




Automatic Document Feeder



quality multifunction printing

Card Reader - E1

Network Interface Adapter - IN-E5



ADF-J1



# imageRUNNER™

## 2000



\*Pedestal for 2 Cassettes



Printer Board - N1



Cassette Feeding Module - G1



\* Pedestal for 4 Cassettes



Finisher-L1



Inner 2-Way Tray



10 GB HDD



\*32MB/64MB Memory

Flash ROM

PS Module

### imageRUNNER 2000 Specifications

#### Main Unit

Type:	Digital, Multifunction Imaging System
Imaging System:	Laser Dry Electrostatic Transfer
Developing System:	Dry Monocomponent Toner Projection
Fixing System:	Heat Roller Fusing
Image Server Memory:	Standard 16Mb RAM (Expandable to 48Mb)
First-copy Time:	8.2 Seconds
Warm-up Time:	10 Seconds or Less From Sleep Mode 30 Seconds From Main Power Off
Copy/Print Speed:	20 ppm (A4); 9 ppm (A3)
Resolution:	600 dpi x 600 dpi
Resolution:	1200 dpi x 600 dpi (Enhanced)
Resolution:	2400 dpi x 600 dpi (Enhanced)
Halftone:	256 Gradations of gray
Magnification Reduction/Enlargement:	50 - 200% (in 1% increments)
Paper Supply	
Standard:	Dual 250 sheets Paper Cassette (500 sheets); Stack Bypass (50 sheets)
Optional:	Dual 250 sheets Paper Cassette (500 sheets);
Exposure Control:	Automatic or Manual

Multiple Copies:	1 to 99
Max. Original Size:	A3
Paper Weights:	60 to 90 g/m <sup>2</sup> (Cassette) 60 to 128g/m <sup>2</sup> (Stack Bypass)
Power Source:	230V AC, 50Hz, 6A
Drum:	OPC-Estimated Yield: 21,000 impressions
Toner:	Estimated Yield: 7,850 images (at 6% coverage)
Dimensions (H x W x D):	560mm x 615mm x 631mm
Weight:	36.5kg

#### Automatic Document Feeder-J1 (Optional)

Acceptable Originals:	B5R-A3
Capacity:	50 Sheets (80 g/m <sup>2</sup> , A4)
Max. Paper Weight:	128 g/m <sup>2</sup>

#### Cassette Feeding Unit-G1 (Optional)

Paper Capacity:	2 x 250 Sheets Paper Cassettes
Paper Size:	A3 to A5
Paper Weights:	60 to 90 g/m <sup>2</sup>

#### Finisher-L1(Optional)

Number of Trays:	One Tray
Tray Capacity:	300 Sheets (A4)
Staple Position/Capacity:	Top Corner (15 Sheets)

#### Printer Board N1 (Optional)

Type:	Embedded Print/Network
Processor:	PowerPC405 200Mhz RISC Processor
RAM	
Standard:	8Mb
Optional:	32Mb or 64Mb (Max: 72Mb)
Hard Disk:	<b>Optional</b> 10GB HDD
PDL Support:	PCL5E, PCL6, Postscript 3 (Optional)
Internal Fonts:	45 Scalable Typefaces in 14 Typefaces Families; 32 TrueType Fonts
Interface Connections:	IEEE1284, USB 1.1

#### Ethernet Network Interface Adapter IN-E5 (Optional)

Interface Connections	
Optional:	RJ-45 (10/100Base-T)
Protocol Stacks:	IPX/SPX; 802.2, 802.3, TCP/IP, Apple Talk, NetBIOS/NetBEUI
Network OS:	Novell Netware v.3-2, 4-1, 4-11, 4-2, 5-0, 5-1 (IPX/SPX), Windows 95/98/ME (TCP/IP), Windows NT4.0, 2000, XP (TCP/IP), Apple System 7.5 or higher (DPP), Solaris 1.1x, 2.5 or higher (TCP/IP)

\*Check with your local Canon-authorized Dealer for availability.

# Canon

#### Regional Offices -

**Canon Singapore Pte Ltd.**  
79 Anson Road #09-01/06 Singapore 079906  
Tel: 6532 4400 Fax: 6221 1232

#### Canon Hong Kong Co. Ltd.

9th Floor The Hong Kong Club Building  
3A Chater Road Central Hong Kong  
Tel: 2739 0802 Fax: 2369 7701

#### Distributors & Representative Offices -

Bangladesh:	<b>Flora Limited</b> Adamjee Court Annex - 2 (4th Floor) 119-120 Motijheel Commercial Area Dhaka 1000 Bangladesh Tel: 956 7846 Fax: 956 5454
Brunei:	<b>Interhouse Company</b> No.5 & 6 Bunit Jaya Complex Simpang 574 Km 7 1/4 Jalan Tutong Bandar Seri Begawan 2690 Negara Brunei Darussalam Tel: 653 001 Fax: 653 003
Cambodia:	<b>Royal Cambodia Co. Ltd.</b> 6th Floor Royal Group Building 246 Preah Monivong Boulevard Phnom Penh Cambodia Tel: 426 414 Fax: 426 415
Hong Kong:	<b>Canon Marketing (Hong Kong) Co. Ltd.</b> 10th Floor Mirror Tower 81 Mody Road Tsimshatsui East Kowloon Hong Kong Tel: 2170 2828 Fax: 2739 6262
India:	<b>Canon India Pvt. Ltd.</b> Neela Gagan Mandi Road Mehrauli New Delhi 110 030 Tel: 680 6572-74 Fax: 680 7180

Indonesia:	<b>PT Samafitro</b> Jalan Ir. H Juanda No. 8 Jakarta 10120 Indonesia Tel: 345 5521 Fax: 384 4271
Malaysia:	<b>Canon Marketing (Malaysia) Sdn Bhd</b> Block D, Peremba Square Saujana Resort Section U2 40150 Shah Alam Selangor Darul Ehsan Malaysia Tel: 7844 8000 / 7845 0055 Fax: 7845 0505
Maldives:	<b>SIMDI Company Pte. Ltd.</b> MANAAM Building, No.2/1 Neeloafaru Magu 20-04 Male Republic of Maldives Tel: 324 819 Fax: 310 549
Myanmar:	<b>IKM Pte Ltd.</b> Covent Garden Post Office P.O.Box 2 Singapore 911631 Tel: 6839 6730 Fax: 6733 5255
Nepal:	<b>International Electronics Concern (P) Ltd.</b> Kha 14 1st Floor Harattibhawan Putalisadak Ramshah Path Kathmandu Nepal P.O.Box 12588 Tel: 421 991 Fax: 421 909
Pakistan:	<b>Shirazi Trading Company (Pvt) Ltd.</b> 2nd Floor Nadir House II Chundrigar Road Karachi Pakistan Tel: 242 4075 Fax: 241 4998
Philippines:	<b>Canon Marketing (Philippines) Inc.</b> Marvin Plaza Building 2153 Don Chino Roces Avenue Makati City Metro Manila Philippines Tel: 812 6047 Fax: 812 0067

Singapore:	<b>Canon Marketing (Singapore) Pte. Ltd.</b> No.1 Jalan Kilang Timor Pacific Tech Centre #09-00 Singapore 159303 Tel: 6799 8888 Fax: 6273 3317
Sri Lanka:	<b>Metropolitan Office (Pvt) Ltd.</b> 12 Magazine Rd, Colombo 8, Sri Lanka Tel: 437 962, 437 797, 699 401 Fax: 700 267
Thailand:	<b>Canon Marketing (Thailand) Co. Ltd.</b> 10th Floor Bangkok City Tower 179/34-45 South Sathorn Road Bangkok 10120 Tel: 344 9999 Fax: 344 9960
Vietnam:	<b>S.T. Alliance Pte. Ltd.</b> 357A/21B1 Nguyen Trong Tuyen St., Ward 1, Tan Binh Dist., Ho Chi Minh City Vietnam Tel: 811 4475 Fax: 811 4474

0027W528 © Canon Singapore Pte Ltd 2002  
Printed in Singapore